

Cost of Form: Rs. 500/-



सत्यमेव जयते



TENDER FOR
INSTALLATION/ COMMISSIONING OF CLOSED CIRCUIT
TELEVISION CAMERA (CCTV) WITH DVR/NVR

AT SNCU AND CASUALTY DEPARTMENT
OF FAKHRUDDIN ALI AHMED MEDICAL COLLEGE & HOSPITAL, BARPETA

NIT NO.	:	No. FAAMCH/CCTV/1178/2018/334
NIT Issue Date	:	21 st March, 2018
Last Date of Submission	:	2 nd April, 2018 upto at 12:30 P.M.
Date of Opening	:	2 nd April, 2018 upto at 01:00 P.M.

Fakhruddin Ali Ahmed Medical College Hospital
Jotigaon, Barpeta, Assam - 781301

Phone : (03665) 252140 ::: e-mail : faamc.barpeta2010@gmail.com

www.faamcassam.co.in

o/c

Government of Assam
Office of the Superintendent
Fakhruddin Ali Ahmed Medical College Hospital
Barpeta, Assam - 781301

(Under Society for Medical Education, Barpeta)

Phone : (03665) 252140 :: e-mail : faamc.barpeta2010@gmail.com

No. FAAMCH/CCTV/1178/2018/334


Date-21/03/2018

NOTICE INVITING TENDER

Sealed tenders in two bid system affixing non-refundable Court fee stamp of ₹ 8.25 only are invited from reputed & experienced Govt. Registered Firms/ authorized Dealers for installation/ commissioning of Closed Circuit Television Camera (CCTV) with DVR/NVR at SNCU and Casualty department of Fakhruddin Ali Ahmed Medical College & Hospital, Barpeta.

The tender documents containing detailed information/terms and conditions for the purpose can either be obtained from the Office of the Superintendent, from **22/03/2018 to 31/03/2018 between 11 a.m. to 3 p.m.** with non-refundable payment of ₹ 500/- or may be downloaded from website <http://faamcassam.co.in> Those who download the tender documents from the website should enclose the DD / bankers cheque of ₹ 500/- (non-refundable) in favour of Superintendent, FAAMCH. The tender documents are not transferable.

The last date and time of submission of tender is 2nd April, 2018 up to 12.30 p.m. and the tender will be opened on the same day at 1.00 p.m. in presence of the intending suppliers or their authorized representatives. The tenders are to be submitted to the office of the Superintendent, F.A. A. Medical College Hospital, Barpeta on all the working days during office hours.


(Dr. Bobjeet Goswami)
Superintendent

F.A.A. Medical College Hospital
Barpeta, Assam.

Memo No. FAAMCH/CCTV/1178/2018/334-A

Date-21/03/2018

Copy forwarded for information to :

1. The Director of Medical Education, Assam, Sixmile, Khanapara, Guwahati – 22.
2. The Chairman, Society for Medical Education, Barpeta.
3. The Principal-cum-Chief Superintendent, FAAMC&H, Barpeta.
4. The P.S. to the Hon'ble Minister of Health & F.W., Assam, Dispur, Guwahati- 6 for Kind appraisal of the Hon'ble Minister of Health, Assam.
5. The Director of Information & Public Relation Officer, Dispur, Guwahati – 6. **He is requested kindly to publish the tender notice in daily news papers. One in Assamese, one in English daily.**
6. Dr. Uddip Talukdar, for immediate uploading the NIT in the FAAMCH website.
7. Notice Board, FAAMCH, Barpeta.
8. Notice Board of the Deputy Commissioner office, Barpeta.
9. The DI&PRO, Barpeta for wide publication of the tender.
10. Office file.


Superintendent
F.A.A. Medical College Hospital
Barpeta, Assam.

Terms & Condition :

1. The tender may be submitted following 2 (two) bid system i.e. Technical & Financial bids. The first envelope should contain the '**Technical Bid**' consisting of Technical parameters and subscribed as '**Financial Bid**' containing the financial aspects such as the rates to be charged and other financial Terms and Conditions. Both bids contained in 2 (two) separate sealed envelopes should be submitted in the sealed cover superscribed as tender for supply and installation of CCTV camera and the name of the firm should be clearly mentioned on the envelope.
2. The earnest money deposit of Rs. 10,000/- must accompany with the quotation in the form of NSC/KVP/FDR/BD pledged to the Superintendent, F.A.A.M.C.&H., Barpeta. Bid without EMD will be treated as invalid. This is refundable on satisfactory completion of the contract.
3. Guarantee/ warranty certificate towards manufacturing defects in respect of materials should be for 36 (thirty six) months from the date of commissioning.
4. The supplier should be fully responsible to replace the material free of cost with no transportation and insurance to the purchaser up to the destination of the material ordered, for the whole or in which is found to be defective on receipt of the same at destination. Such replacement shall be effected by the supplier within a reasonable time actually required out of supply of materials or its use where on warranties or otherwise shall not in any case exceed the cost of correcting the defects or replacing the defected materials. The above provisions shall also equally apply to the materials so replaced by the supplier in case the same is found to be again defective.
5. An amount equivalent to 5% shall be kept as security deposit from the total Bill value of the bidder and shall be replaced only after 12 (twelve) months.
6. GST/ IT etc. will be deducted as per Govt. rules.
7. Prices should be including of all Taxes, GST, Duties etc.
8. Bid validity – Price quoted should be in force for a period of 180 days.
9. Period of completion – 1 (one) months from the date of contract.
10. The Bidder will have to furnish –
 - i) Photocopy of PAN CARD
 - ii) Photocopy of firm registration/ authorized Dealers certificate etc.
 - iii) Photocopy of trade license
 - iv) Photocopy of GST registration
 - v) Photocopy of GST clearance certificate
 - vi) Photocopy of I.T. return for last assessment year
 - vii) Photocopy of experience certificate in the concerned work

11. Price escalation will not be entertained in any case.
12. The Bidder must have an experience for similar works.
13. Any legal action taken or proceeding initiated or any of the terms of the agreement shall be only in the jurisdiction of Barpeta only.
14. The Bidder, if he/ she is not manufacturer, shall be required to furnish a letter of authority from the manufacturing company/ dealer.
15. Requirements may vary depending on site condition.



(Dr. Bobbyjeet Goswami)
Superintendent

F.A.A. Medical College Hospital
Barpeta, Assam.

**Technical Specification for Supply, Installation, Testing, Commissioning of
CCTV Camera alongwith storage LAN connection and other accessories
required for working of CCTV Surveillance System for streaming**

Sl. No.	Item(s)	Description
1	Total Camera	10 Nos.
2	Camera Type	Bullet IP Camera with 2 megapixel
3	Day/Night Function	Yes
4	Motion Detection	Yes
5	Camera Resolution	1920 x 1080; frame rate : 30 frame per second
6	IR LED Range	Minimum 20 to 30 meters coverage
7	Vandal – Proof	Yes
8	NVR with Internet Access	16 Channels (2 SATA)
9	Data Storage	Minimum 3 Months Data
10	POE Switches	2 Nos. of 16 Ports Redundant uplink from Casualty/SNCU
11	Power	POE/Non POE enabled Cameras
12	Connectivity	Support IE, Mobile Phone, Remote Monitoring
13	Network Support	NETVF, ONVF or similar standard protocol
14	Support	Third party IP Camera Support
15	Cable for CCTV, Casing/Capping/Coduit/Flexible	Bidder should examine the site to understand the requirement and working of Institute and quote accordingly.
16	Warranty	3 years
17	Software	i. System should be provided with a suitable software for monitoring, archiving, replay of stored files. ii. Software should be able to connect all the cameras and should be upgradable without any extra charge.
18	HDD	Upto 4 TB or storage of data for 3 months
OPTIONAL		
19	AMC	AMC charges for 5 years after completion of warranty period (4 th year onwards)